

Safety Data Sheet

Environmental Protection Authority

Hazardous Substances (identification)
Regulations 2004 (NZ)



Product Name
A/O Indicator

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section 1

Manufacturer's Name: Pacific Rim Oenology Services	Emergency Telephone Number: National Poisons 24hr: 0800 764 766
Address (Number, Street, City, Region, and Post Code): 4 Bristol St, Riverlands, Blenheim, Marlborough, 7274	Telephone Number for Information: (+64) (0) 3 577-9000
PO Box 1132, Blenheim 7240	Original - Issue date: 19/07/17 - 13/11/17
New Zealand	

Section 2 - Hazard(s) identification

Hazardous Components (Specific Chemical Identity; Common Name(s))	HSNO for components	Classification
Ethyl Alcohol #64-17-5	HSR001144	3.1C, 6.4A
Methylene Blue #61-73-4	HSR003661	6.4A, 9.1C
Methyl Red HCl #63451-28-5	HSR007314	6.7A
Methyl Red Sodium Salt #845-10-3	HSR006307	6.7A
Methyl Violet #8004-87-3	HSR004561	6.1D, 6.7B, 8.3A, 9.1A, 9.3C

Section 3 - Label Elements



Signal Word

Warning

Hazard statements

H226 - Flammable liquid and vapour
H319 - Causes serious eye irritation
H350 - May cause cancer

Precautionary statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion proof electrical/ventilating/lighting/intrinsically safe equipment

P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P370+P378 - In case of fire: Use water spray/fog for extinction.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to an approved waste disposal plant

Section 4 - Composition and information on ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	50
Methylene Blue	61-73-4	0-1
Methyl Red HCl	63451-28-5	0-1
Methyl red Sodium Salt	845-10-3	0-1
Methyl Violet	8004-87-3	0-1

Section 5 - First Aid Measures

Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
Most important symptoms/effects	Breathing difficulties. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Inflammation of the eye characterised by redness, watering and itching.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
First Aid Facilities	Eyewash, safety shower and washroom.
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

Section 6 - Fire Fighting Measures

Suitable Extinguishing Media

Cool closed containers exposed to fire with water spray or fog.

Unsuitable extinguishing Media

No information available.

Hazardous Combustion Products

Specific Hazards Arising from the Chemical

Flammable.

Containers may explode when heated.

Vapours may form explosive mixtures with air.

Vapours may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 7 - Accidental Release Measures

Emergency procedures

Remove all sources of ignition.
Take precautionary measures against static discharges.

Environmental Precautions

See Section 13 for additional ecological information.
Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 9 and 14.

Section 8 - Handling and Storage

Precautions for Safe Handling

Keep away from open flames, hot surfaces and sources of ignition.
Use only non-sparking tools.
To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.
Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.
Keep away from heat and sources of ignition.
AS/NZS 2243.10:2004, Safety in Laboratories - Storage of chemicals
AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 9 - Exposure Controls and Personal Protection

Exposure limits

Workplace Exposure Standards and Biological Exposure Indices (8th edition). New Zealand Department of Labour

Component	New Zealand WEL
Ethyl Alcohol	TWA: 1000 ppm TWA: 1880 mg/m ³

Biological limit values

Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (8th edition). New Zealand Department of Labour.
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection	Safety glasses with side-shields (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications).
Hand Protection	Protective gloves, disposable gloves AS/NZS 2161.1.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

Section 10 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Dark blue liquid
Physical State	Liquid
Odour	Odourless
Odour Threshold	No data available
pH	No data available
Melting Point/Range	No data available
Softening Point	No data available
Boiling Point/Range	Not applicable
Flash Point	< 16 °C / < 61 °F
Evaporation Rate	No data available
Flammability (solid, gas)	Not applicable - Liquid
Explosion Limits	No data available
Vapour Pressure	No data available
Vapour Density	No data available
Specific Gravity / Density	No data available
Bulk Density	Not applicable
Water Solubility	Miscible
Solubility in other solvents	No information available
Partition Coefficient (n-octanol/water)	
Component	log Pow
Ethyl alcohol	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available Vapours may form explosive mixtures with air
Oxidising Properties	No information available
Other information	
Molecular Formula	No data available
Molecular Weight	No data available

Section 11 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition
Hazardous Decomposition Products	None under normal use conditions
Hazardous Polymerisation	Hazardous polymerisation will not occur

Section 12 - Toxicological Information

Information on Toxicological Effects Product Information

a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	No data available
Inhalation	No data available
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	Category 2A
(d) respiratory or skin sensitization;	No data available
Respiratory	No data available
Skin	No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	Category 1
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	None known.
(j) aspiration hazard;	No data available
Symptoms / effects, both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Inflammation of the eye characterised by redness, watering and itching.

Section 13 - Ecological Information

Ecotoxicity effects	Contains a substance which is: Toxic to aquatic organisms See below
Persistence and Degradability	No information available
Persistence	Persistence is unlikely, based on information available
Degradation in sewage	Contains substances known to be hazardous to the environment or not degradable in waste
Treatment plant	Water treatment plants
Bioaccumulative Potential	Bioaccumulation is unlikely
Mobility	The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

The product contains following substances which are hazardous for the environment:

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
-----------	-----------------	------------	------------------	----------

Ethyl Alcohol	Fathead minnow LC50 = 14200 mg/L/96 Hr	EC50 = 9268 mg/L/48 Hr EC50 = 10800 mg/L/24 Hr	EC50 (72 Hr) = 275 mg/L (Chorella vulgaris)	Photobacterium phosphoreum: EC50 = 34634 mg/L/30 min Photobacterium phosphoreum: EC50 = 35470 mg/L/5 min
---------------	--	---	---	---

Section 14 - Disposal Considerations

Waste from Residues / Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected.

Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations.

Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Empty containers retain product residue, (liquid and/or vapor) and can be dangerous.

Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations .

Do not dispose of waste into sewer.

Waste codes should be assigned by the user based on the application for which the product was used.

Can be incinerated, when in compliance with local regulations.

Section 15 - Transport Information

IMDG/IMO

UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	II

NZS 5433:2012

UN-No	UN1170
Proper Shipping Name	ETHANOL
Hazard Class	3
Packing Group	II

Component	Hazchem Code
Ethyl alcohol 64-17-5	2Y

IATA

UN-No	UN1170
-------	--------

Hazard Class	3
Packing Group	II
Environmental hazards	This product contains a substance that is harmful to aquatic organisms
Special Precautions	Do not swallow, wear gloves when appropriate
Additional information	None known

Section 16 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	HSNO Approval Number
A/O Indicator solution	HSR002652

Section 17 - Other Information

Legend

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

POW - Partition coefficient Octanol:Water

Key literature references and sources for data

Suppliers safety data sheet, EPA, NZTA

For a correlation of GHS and HSNO classes and categories refer to:

<http://www.epa.govt.nz/publications/hsnogen-ghs-nz-hazard.pdf>

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Revision Date: 17/08/2020

Revision Summary: Update toxicology and HSNO mixture

Version: 2

Owner: Laboratory Manager

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

