




A clean fermenting yeast for elegant, crisp, and lively white wines.


Vivace is a general white vinification strain. A good fermenter that will perform in a wide range of temperatures (14-28 °C), this strain will reveal the varietal attributes of the grapes, along with notes of pear, apple, grapefruit, lime and fresh pineapple, which will add a delicate complexity.

Vivace is recommended for cool climate Chardonnays (e.g. Chablis), where pear, green plum and apple notes are desired, as well as Australian and German Rieslings styles because of its beta-Lyase activity and its citrusy (lime) characteristics. It can be a great pair for spicy Alsacian Pinot Gris or Italian Pinot Grigio as it also presents hints of black pepper, eucalyptus and sweet spice. Due to its H<sub>2</sub>S prevention and its MLF compatibility, it can be used perfectly in barrel fermentation of Sauvignon Blanc "Fume Blanc" style.

### **Recommended Varietals:**

- Chardonnay
- Riesling
- Pinot Gris / Grigio
- Chardonnay
- · Sauvignon Blanc





### **TECHNICAL CHARACTERISTICS**

Kinetics	Moderate		
Optimal Temperature	14 °C to 28 °C		
Cold Tolerance*	13 °C		
Alcohol Tolerance	16%		
Nitrogen Requirements	Medium - High		
Killer Factor	Active		
Flocculation	High		

<sup>\*</sup> Once active fermentation has been established.

Dosage	0.2-0.35 g/L	YAN Levels:		
Conversion Factor**	16.3 g/L		Low	150-225
Glycerol	6.0-7.5 g/L		Medium	225-300
Volatile Acidity	Low		High	300+
SO <sub>2</sub> Production	Low			
H <sub>2</sub> S Production	None			
Foam Production	Low			

<sup>\*\*</sup> Grams of sugar required to produce 1% alcohol (v/v). Varies depending on the sugar and nutrients composition of the must and environmental conditions.



# REHYDRATION PROTOCOL

Correct yeast rehydration is crucial to obtain a healthy fermentation.

# Please follow the Rehydration Instructions to avoid stuck or sluggish fermentations.

#### **Inoculation Rate:**

0.2-0.35 g/L (1.7-2.9 lbs/1000 gallons)

## **Rehydration Instructions:**

- 1. In an inert and sterile container, prepare chlorine-free water at 38-42 °C (100-108 °F) that is 10 times the weight of the yeast to be rehydrated.
- 2. Gently mix the yeast into the water and allow 20 minutes for rehydration.
- **3.** After rehydration, begin to slowly add full strength juice into the yeast mixture every 5 minutes to allow for acclimation. Do not decrease the temperature of the mixture by more than 5 °C (9 °F) with each juice addition.
- **4.** When the temperature of the yeast suspension is less than 10 °C (18 °F) warmer than the must or juice to be inoculated, slowly add the yeast mixture into the fermentation vessel.

Note: Directly adding dry yeast to the must or juice tank is not advised.



# Enlighted Science. Empowered Artistry.



Ethanol@angelyeast.com +86-717-6353619

Drop us a line.

info@renaissanceyeast.com

Renaissance Yeast Inc.

410-2389 Health Sciences Mall Vancouver, BC V6T 1Z3 Canada

+1 604 822 6499



renaissanceyeast.com

WY-TDS-VIVACE-2018-CAN